

MATERIAL SAFETY DATA SHEET

DRAGNET® SFR TERMITICIDE/INSECTICIDE



MSDS Ref. No.: 52645-53-1-26

Date Approved: 08/02/2005

Revision No.: 7

This document has been prepared to meet the requirements of the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200; the EC directive, 2001/58/EC and other regulatory requirements. The information contained herein is for the concentrate as packaged, unless otherwise noted.

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: DRAGNET® SFR TERMITICIDE/INSECTICIDE
PRODUCT CODE: 1784
ACTIVE INGREDIENT(S): Permethrin
CHEMICAL FAMILY: Pyrethroid Pesticide
MOLECULAR FORMULA: $C_{21}H_{20}Cl_2O_3$ (permethrin)
SYNONYMS: FMC 33297; (3-Phenoxyphenyl)methyl(+/-) cis-trans-3-(2,2-dichloroethyl)-2,2-dimethylcyclopropanecarboxylate; IUPAC: 3-phenoxybenzyl (1RS)-cis-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

MANUFACTURER

FMC CORPORATION
Agricultural Products Group
1735 Market Street
Philadelphia, PA 19103
(800) 321-1362 (General Information)

EMERGENCY TELEPHONE NUMBERS

(800) 331-3148 (FMC - U.S.A. & Canada)

(716) 735-3765 (FMC - Reverse charges)

For leak, fire, spill, or accident emergencies, call:

(800) 424-9300 (CHEMTREC - U.S.A. & Canada)

(703) 527-3887 (CHEMTREC - All Other Countries)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

- Amber liquid with a faint, mild petroleum odor.
- Moderately combustible. May support combustion if heated above the product's flash point (see Section 9, "Physical and Chemical Properties" below).
- Thermal decomposition and burning may form toxic by-products.
- For large exposures or fire, wear personal protective equipment.
- Highly toxic to fish and aquatic organisms. Keep out of drains and water courses.
- Moderately irritating to the skin.

POTENTIAL HEALTH EFFECTS: Effects from overexposure result from either swallowing, or coming into contact with the skin or eyes. Symptoms of overexposure include increased hypersensitivity to touch and sound, tremors and convulsions. Contact with this product has rarely produced skin sensations such as numbing, burning and tingling. These sensations are reversible and usually subside within 12 hours.

MEDICAL CONDITIONS AGGRAVATED: None presently known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Wt. %	EC No.	EC Class
Permethrin	52645-53-1	36.8	258-067-9	R20/22-43-50/53; S2-13-24-36/37/39-60-61
Alkyl biphenyl mixture	69009-90-1	<27	273-683-8	Not classified
Aromatic Hydrocarbons	64742-47-8	<14.1	265-149-8	R65; S2-23-24-62
Surfactant Blend		<7.6	None	Not classified

4. FIRST AID MEASURES

EYES: Flush with water for at least 15 minutes. If irritation occurs and persists, obtain medical attention.

SKIN: Wash with plenty of soap and water. Get medical attention if irritation occurs and persists.

INGESTION: Do not induce vomiting and do not give liquids of any kind to the person. Never give anything by mouth to an unconscious person. See a medical doctor immediately.

INHALATION: Remove to fresh air. If breathing difficulty or discomfort occurs and persists, obtain medical attention.

NOTES TO MEDICAL DOCTOR: This product has low oral, dermal and inhalation toxicity. It is moderately irritating to the skin and minimally irritating to the eyes. Reversible skin sensations (paresthesia) may occur and ordinary skin salves have been found useful in reducing discomfort. Contains aromatic hydrocarbons that may produce a severe pneumonitis if aspirated during vomiting. Consideration should be given to gastric lavage with an endotracheal tube in place. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Foam, CO₂ or dry chemical. Soft stream water fog only if necessary. Contain all runoff.

FIRE / EXPLOSION HAZARDS: Moderately combustible. When heated above the flash point, this material releases vapors which, when mixed with air, can burn or be explosive.

FIRE FIGHTING PROCEDURES: Isolate fire area. Evacuate downwind. Wear full protective clothing and self-contained breathing apparatus. Do not breathe smoke, gases or vapors generated.

6. ACCIDENTAL RELEASE MEASURES

RELEASE NOTES: Isolate and post spill area. Wear protective clothing and personal protective equipment as prescribed in Section 8, "Exposure Controls/Personal Protection". Keep unprotected persons and animals out of the area.

Keep material out of lakes, streams, ponds and sewer drains. Dike to confine spill and absorb with a non-combustible absorbent such as clay, sand or soil. Vacuum, shovel or pump waste into a drum and label contents for disposal.

To clean and neutralize contaminated area, scrub area with a solution of detergent (e.g. commercial product such as SuperSoap™, Tide®, Spic and Span®, or other high pH detergent) and water. Let solution sit for 5 minutes. Use a stiff brush to scrub affected area. Repeat if necessary to remove visible staining. Additional decontamination can be made by applying bleach (Clorox® or equivalent) to affected area.

Absorb wash-liquid as noted above, remove visibly contaminated soil and place into recovery / disposal container (plastic, open-top steel drum or equivalent). Place all clean-up material in a container, seal and dispose of in accordance with the method outlined in Section 13 "Disposal Considerations" below.

For further information on spill clean-up, waste disposal, or return of salvaged product, call the FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

7. HANDLING AND STORAGE

HANDLING AND STORAGE: Store in a cool, dry, well-ventilated place. Do not use or store near heat, open flame or hot surfaces. Store in original containers only. Store at temperatures above 40°F (5°C). If crystals form, warm to room temperature 70°F (21°C) by room heating only for 24-48 hours, and shake occasionally until crystals dissolve and product appears uniform. Do not use external source of heat for warming container. Keep out of reach of children and animals. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Use local exhaust at all process locations where vapor or mist may be emitted. Ventilate all transport vehicles prior to unloading.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: For splash, mist or spray exposure, wear chemical protective goggles or a face shield.

RESPIRATORY: For splash, mist or spray exposure wear, as a minimum, a properly fitted air-purifying respirator with an organic vapor cartridge (OV) or canister with any R, P or HE prefilter (approved by U.S. NIOSH/MSHA, EU CEN or comparable certification organization). Respirator use and selection must be based on airborne concentrations.

PROTECTIVE CLOTHING: Depending upon concentrations encountered, wear coveralls or long-sleeved uniform and head covering. For larger exposures as in the case of spills, wear full body cover barrier suit, such as a PVC suit. Leather items - such as shoes, belts and watchbands - that become contaminated should be removed and destroyed. Launder all work clothing before reuse (separately from household laundry).

GLOVES: Wear chemical protective gloves made of materials such as nitrile, neoprene or Viton® brand. Thoroughly wash the outside of gloves with soap and water prior to removal. Inspect regularly for leaks.

WORK HYGIENIC PRACTICES: Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking or using tobacco. Shower at the end of the workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR:	Faint, mild petroleum
APPEARANCE:	Amber liquid
DENSITY / WEIGHT PER VOLUME:	8.61 lb/gal. (1033 g/L)
FLASH POINT:	66 - 68°C (151 - 154°F) (TAG)
MOLECULAR WEIGHT:	391.3 (permethrin)
pH:	4.0 @ 20°C (5% in water)
SOLUBILITY IN WATER:	Emulsifies
SPECIFIC GRAVITY:	1.033 @ 20°C (water = 1)

10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID:	Excessive heat and fire.
STABILITY:	Stable
POLYMERIZATION:	Will not occur
HAZARDOUS DECOMPOSITION PRODUCTS:	Chlorine, hydrogen chloride, carbon dioxide, carbon monoxide, and aldehydes.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Minimally irritating

SKIN EFFECTS: Moderately irritating

DERMAL LD₅₀: > 2,000 mg/kg (rabbit)

ORAL LD₅₀: 998 mg/kg (rat)

INHALATION LC₅₀: > 4.3 mg/l (4 h) (rat)

ACUTE EFFECTS FROM OVEREXPOSURE: This product has low oral, dermal and inhalation toxicity. It is moderately irritating to the skin and minimally irritating to the eyes. Experience to date indicates that contact with this product has rarely produced skin sensations such as numbing, burning or tingling. These sensations are reversible and usually subside within 12 hours. Large toxic doses of the formulated product, administered to laboratory animals, have produced central nervous system effects with symptoms that include hypersensitivity to touch and sound, tremors, and clonic convulsions. Overexposure to animals via inhalation has also produced symptoms such as squinting eyes, irregular and rattling breathing, and ataxia. Inhalation of aromatic hydrocarbon vapors may cause dizziness, disturbances in vision, drowsiness, respiratory irritation, and eye, skin and mucous membrane irritation. Vomiting after ingestion of this product may cause aspiration of aromatic hydrocarbons into the lungs, which may result in fatal pulmonary edema.

CHRONIC EFFECTS FROM OVEREXPOSURE: No data available for the formulation. In studies with laboratory animals, permethrin did not cause reproductive toxicity or teratogenicity. Analysis of chronic feeding studies in both mice and rats with permethrin resulted in the conclusion that permethrin's potential for induction of oncogenicity in experimental animals is low and that the likelihood of oncogenic effects in humans is nonexistent or extremely low. Long-term feeding studies in animals resulted in increased liver and kidney weights, induction of the liver microsomal drug metabolizing enzyme system and histopathological changes in the lungs and liver. An overall absence of genotoxicity has been demonstrated in mutagenicity testing with permethrin. Chronic exposure to aromatic hydrocarbons may cause headaches, dizziness, loss of sensations or feelings (such as numbness), and liver and kidney damage.

CARCINOGENICITY:

NTP:	Not listed
IARC:	Not listed
OSHA:	Not listed
OTHER:	(ACGIH) Not listed

12. ECOLOGICAL INFORMATION

Unless otherwise indicated, the data presented below are for the active ingredient.

ENVIRONMENTAL DATA: In soil, permethrin is stable over a wide range of pH values. When applied at agricultural use rates, permethrin has a moderate rate of degradation in soil. At termiticidal use rates, permethrin degrades at a slower rate which is governed by soil characteristics. Due to its high affinity for organic matter ($K_{oc} = 86,000$), there is little potential for movement in soil or entry into ground water. Permethrin has a Log Pow of 6.1, but a low potential to bioconcentrate ($BCF = 500$) due to the ease with which it is metabolized.

ECOTOXICOLOGICAL INFORMATION: Permethrin is highly toxic to fish ($LC_{50} = 0.5 \mu\text{g/L}$ to $315 \mu\text{g/L}$) and aquatic arthropods ($LC_{50} = 0.02 \mu\text{g/L}$ to $7.6 \mu\text{g/L}$). Marine species are often more sensitive than the freshwater species. Bacteria, algae, mollusks and amphibians are much more tolerant of permethrin than the fish and arthropods. Care should be taken to avoid contamination of the aquatic environment. Permethrin is slightly toxic to birds and oral LD_{50} values are greater than 3600 mg/kg. Longer dietary studies showed that concentrations of up to 500 ppm in the diet had no effect on bird reproduction.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Open dumping or burning of this material or its packaging is prohibited. If spilled material cannot be disposed of by use according to label instructions, an acceptable method of disposal is to incinerate in accordance with local, state and national environmental laws, rules, standards and regulations. However, because acceptable methods of disposal may vary by location and regulatory requirements may change, the appropriate agencies should be contacted prior to disposal.

EMPTY CONTAINER: Non-returnable containers that held this material should be cleaned, prior to disposal, by triple rinsing. Containers which held this material may be cleaned by being triple-rinsed, and recycled, with the rinsate being incinerated. Do not cut or weld metal containers. Vapors that form may create an explosion hazard.

14. TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT)

PACKAGING TYPE:	Non-Bulk
U. S. SURFACE FREIGHT CLASS:	Insecticides, NOI, other than Poison. NMFC Item 102120.
ADDITIONAL INFORMATION:	This material is not a hazardous material as defined by US Department of Transportation at 49 CFR Parts 100 through 185.

PACKAGING TYPE:	Bulk
PROPER SHIPPING NAME:	Combustible liquid, n.o.s.
TECHNICAL NAME(S):	Aromatic hydrocarbons
PRIMARY HAZARD CLASS / DIVISION:	Combustible
UN/NA NUMBER:	NA 1993
PACKING GROUP:	III
MARINE POLLUTANT:	Permethrin
LABEL(S):	None
PLACARD(S):	Combustible or 3
MARKING(S):	1993

INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG)

PACKAGING TYPE:	Non-Bulk
PROPER SHIPPING NAME:	Environmentally hazardous substance, liquid, n.o.s.
TECHNICAL NAME(S):	Permethrin
PRIMARY HAZARD CLASS / DIVISION:	9
UN/NA NUMBER:	UN 3082
PACKING GROUP:	III
MARINE POLLUTANT:	Permethrin
LABEL(S):	9
PLACARD(S):	9
MARKING(S):	Environmentally hazardous substance

liquid, n.o.s. (permethrin), UN3082 +
Marine Pollutant

ADDITIONAL INFORMATION:

EmS Number: F-A, S-F
Flash Point: 66-68°C

**ADR - EUROPEAN AGREEMENT CONCERNING THE
INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD**

PACKAGING TYPE:	Non-Bulk
PROPER SHIPPING NAME:	Environmentally hazardous substance, liquid, n.o.s.
TECHNICAL NAME(S):	Permethrin
PRIMARY HAZARD CLASS / DIVISION:	9
CLASSIFICATION CODE:	M6
PACKING GROUP:	III
HAZARD IDENTIFICATION NUMBER:	90
MARINE POLLUTANT:	Permethrin
LABEL(S):	9
PLACARD(S):	9
MARKING(S):	Environmentally hazardous substance, liquid, n.o.s. (permethrin), UN 3082 and Marine Pollutant
ADDITIONAL INFORMATION:	Road or Rail: ADR NOTES: X

**INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) /
INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA)**

PACKAGING TYPE:	Non-Bulk
ADDITIONAL INFORMATION:	This material is not subject to the Danerous Goods Regulations of the International Air Transport Association.

OTHER INFORMATION:

HARMONIZED SYSTEM:
Import to the U.S.A.: 3808.10.2500
Export from the U.S.A.: 3808.10.0000

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355, APPENDIX A):

Not listed

SECTION 311 HAZARD CATEGORIES (40 CFR 370):

Immediate, Delayed, Fire

SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR 370):

The Threshold Planning Quantity (TPQ) for this product, if treated as a mixture, is 10,000 lbs; however, this product contains the following ingredients with a TPQ of less than 10,000 lbs.:
None

SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372):

This product contains the following ingredients subject to Section 313 reporting requirements:
Permethrin

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT)

CERCLA DESIGNATION & REPORTABLE QUANTITIES (RQ) (40 CFR 302.4):

Not listed

FEDERAL INSECTICIDE FUNGICIDE RODENTICIDE ACT

U.S. EPA Signal Word: CAUTION

INTERNATIONAL LISTINGS

Australian Hazard Code: 3XE

HAZARD, RISK AND SAFETY PHRASE DESCRIPTIONS:

Permethrin, (Index #613-058-00-2):

EC Symbols:	Xn	(Harmful)
	N	(Dangerous for the environment)

EC Risk Phrases: R20/22 (Harmful by inhalation and if swallowed.)
R43 (May cause sensitization by skin contact.)
R50/53 (Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.)

EC Safety Phrases: S2 (Keep out of the reach of children.)
S13 (Keep away from food, drink and animal feeding stuffs.)
S24 (Avoid contact with skin.)
S36/37/39 (Wear suitable protective clothing, gloves and eye/face protection.)
S60 (This material and its container must be disposed of as hazardous waste)
S61 (Avoid release to the environment. Refer to special instructions/safety data sheets.)

Aromatic Hydrocarbons, (Index #649-422-00-2):

EC Symbols: Xn (Harmful)

EC Risk Phrases: R65 (Harmful: may cause lung damage if swallowed.)

EC Safety Phrases: S2 (Keep out of the reach of children.)
S23 (Do not breathe gas, fumes, vapor, or spray)
S24 (Avoid contact with skin.)
S62 (If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.)

16. OTHER INFORMATION

REVISION SUMMARY:

This MSDS replaces Revision #6, dated July 08, 2005.

Changes in information are as follows:

Section 14 (Transport Information)

Section 15 (Regulatory Information)

Section 16 (Other Information)

Dragnet and FMC Logo - FMC Trademarks

Viton - E.I. du Pont de Nemours & Co. Trademark

SuperSoap - Trademark of Weba Technologies, Inc.; Tide - Trademark of Proctor and Gamble; Spic and

Span: Trademark of The Spic and Span Company; Clorox - Trademark of The Clorox Company

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.